GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Dr.Kondikari Ranga Swamy, I/c. Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District – Departmental proceedings under Rule 20 of the Andhra Pradesh Civil Services (Classification Control and Appeal) Rules, 1991 – Articles of Charges – Issued.

LABOUR, FACTORIES, BOILERS AND IMS (IMS&VIG) DEPARTMENT

G.O.Rt.No.320 **Dated:24.08.2022**

Read the following:-

1. Interim Enquiry report from the Director General, Anti-Corruption Bureau, A.P., Vijayawada, Rc.No.51/RE-CIU/2020, dt:16.12.2022.
2. Govt. Memo. No.1633065/IMS&VIG/A1/2019, LFB&IMS Department Dt:02.06. 2022.
3. From Director General, ACB, Lr.Rc.No.51/RE-CIU/2020, Dt:15.07.2022.

***

ORDER

It is proposed to hold an inquiry against Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed Statement of Articles of Charges (Annexure-I). A statement of imputations of misconduct or misbehavior on which action is proposed to be taken against him is enclosed (Annexure-II). A list of documents by which and a list of witnesses by whom the Articles of charges are proposed to be sustained are also enclosed (Annexure – III & IV).

3. Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is directed to submit his written statement of defense within 10 days from the date of receipt of this Government Order a written statement of his defence and also to state whether he desires to be heard in person.

4. Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is further informed that an inquiry will be held only in respect of those articles of charges are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is further informed that if he does not submit his written statement of defense on or before the date specified in Para-3 above or does not appear in person before the Inquiry Authority or otherwise fails or refuses to comply with the provisions of Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the inquiring authority may hold the inquiry against him exparte.

(P.T.O)

6. Attention of Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is invited to rule 24 of the A.P. Civil Services (Conduct) Rules, 1964 under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to furtherance of his interests in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another persons in respect of any matter dealt with these proceedings, it will be presumed that he is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964.

7. Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is specifically informed, that this order does not preclude the disciplinary authority to frame fresh charges, if any other irregularities are noticed during the course of disciplinary action.

8. The receipt of this G.O. should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G.ANANTHA RAMU
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Dr.Kondikari Ranga Swamy, Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District **through** the Director, Insurance Medical Services, Andhra Pradesh, Vijayawada.
Copy to:
The Director, Insurance Medical Services, Andhra Pradesh, Vijayawada with a request to serve the Articles of charges on the individual and furnish the dated ACK. of served copy for record.
The Director General, ACB, Andhra Pradesh., Vijayawada.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE – I

STATEMENT OF ARTICLE OF CHARGES FRAMED AGAINST DR KONDIKARI RANGA SWAMY, S/O RANGANNA, (SO-4), I/C CIVIL SURGEON, ESI DIAGNOSTIC CENTRE, ADONI, KURNOOL

Dr Kondikari Ranga Swamy, S/o Ranganna, 59 yrs, I/C Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is a native of Kurnool, R/o. 21/44/3A, S. K. D.Colony, 3rd road, near Ayyappa temple, Vysya Hostel, Adoni-518301, Kurnool District. He joined in Government Service of Andhra Pradesh Employees State Insurance Services on 13.05.1991 as Civil Assistant Surgeon (CAS) at ESI Dispensary, Hindupur, Kurnool. He worked as a Civil Assistant Surgeon at ESI Dispensaries Nizamabad, Hindupur, Kurnool, Tirupathi and ESI Hospital, Tirupathi up to 19.05.2000. Later, he got a promotion as Civil Surgeon Specialist and he was posted at ESI Hospital, Nizamabad. On 14.07.2012 he was transferred to Diagnostic Centre, Adoni and he has been working at Diagnostic Centre, Adoni, Kurnool District. While working as In-charge Civil Surgeon Specialist, ESI, Diagnostic Centre, Adoni, Kurnool District has committed the following grave misconduct in as much as. He is here-in-after referred to as the Government Servant.

CHARGE:

That the Government Servant Dr Kondikari Ranga Swamy, S/o Ranganna, In-charge Civil Surgeon Specialist, ESI Diagnostic Centre, Adoni, Kurnool District had forwarded the Quarterly Service Reports of M/s. Jalam Environment Pvt. Ltd. for the STP at ESI Diagnostic Centre, Adoni with his remarks as "Plant worked satisfactorily for the above period" for the four quarters from 01.12.2017 to 30.11.2018 to the Director, IMS, AP for payment of full maintenance charges, causing loss to the government exchequer, though the STP at ESI Diagnostic Centre, Adoni was not serving the purpose since October 2017 due to shifting of ESI Diagnostic Centre, Adoni to ESI Dispensary, West Adoni on 11.10.2017.

Thus, the Government Servant Dr Kondikari Ranga Swamy, S/o Ranganna, I/c. of ESI, Diagnostic Centre, Adoni, Kurnool District by his above-mentioned act has exhibited a lack of integrity, devotion to duty and conduct unbecoming of Government Servant and thereby contravened Rule No. 3(1) (2) of APCS (Conduct) Rules 1964.

G.ANANTHA RAMU
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE – II

STATEMENT OF IMPUTATIONS OF MISCONDUCT IN SUPPORT OF THE ARTICLE OF CHARGES FRAMED AGAINST DR KONDIKARI RANGA SWAMY, S/O RANGANNA, (SO-4), I/C CIVIL SURGEON, ESI DIAGNOSTIC CENTRE, ADONI, KURNOOL.

Dr Kondikari Ranga Swamy, S/o Ranganna, 59 yrs, I/C Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District is a native of Kurnool, R/o. 21/44/3A, S.K.D.Colony, 3rd road, near Ayyappa temple, Vysya Hostel, Adoni-518301, Kurnool District.

He joined in Government Service of Andhra Pradesh Employees State Insurance Services on 13.05.1991 as Civil Assistant Surgeon (CAS) at ESI Dispensary, Hindupur, Kurnool. He worked as a Civil Assistant Surgeon at ESI Dispensaries Nizamabad, Hindupur, Kurnool, Tirupathi and ESI Hospital, Tirupathi up to 19.05.2000. Later, he got a promotion to Civil Surgeon Specialist and he was posted at ESI Hospital, Nizamabad. On 14.07.2012 he was transferred to Diagnostic Centre, Adoni and he has been working at Diagnostic Centre, Adoni, Kurnool District. Dr.K.Ranga Swamy would retire from the service on attaining the age of superannuation on 30.06.2023. While working as In-charge Civil Surgeon Specialist, ESI, Diagnostic Centre, Adoni, Kurnool District has committed the following grave misconduct in as much as. He is here-in-after referred to as the Government Servant.

BRIEF FACTS:

The Bureau had conducted Regular Enquiry with respect to the entrustment of the work of installation and maintenance of Sewerage Treatment Plants for ESI Hospitals at Tirupathi, Vijayawada, Adoni and Rajahmundry vide 1). Vigilance Report No.01 (C.No.2982/V&E/Sec-II/D2/2019-1.2&836/DG/V&E/Sec.II/2019, dtd.03.01.2020, 2) Memo No.967594/IMS&VIG/A2/2019, dtd.17.03.2020 of the Principal Secretary, Labour Factories, Boilers (IMS &VIG) IMS Department, Govt., of Andhra Pradesh without following procedures laid down for engaging the contractor through various orders of Govt. and also violated the modalities prescribed for such installations through G.O.Rt.No.683, LET&F Dept., Dt.24.07.2013 and submitted the interim enquiry report to the Government on 16.12.2021.

During the course of the enquiry, with regard to the allegation made against the Government Servants collected the documents and witnesses were secured examined and recorded their statements and the following facts were revealed during the course of enquiry.

Whereas, in the year 2013, the then Director, IMS, AP, Hyderabad addressed a letter to Government (vide Lr. Rc. No.5880/CDS/2013, dt.17.04.2013) stating that hospitals have several toxic pathogenic bacteria, toxic chemical wastes which when released into Municipal water increase the probability of growth of highly anti-biotic

bacteria, at present, there are methods of collection of solid waste with bio-medical waste bags and no methods for treatment for liquid waste. There is a lack of safe biomedical waste disposable particles and hospital wastewater, which is proving to be hazardous. In order to segregate between solid, liquid and chemical biomedical wastes, hospital wastewater, needles and other hazardous wastes, which are simply getting diverted into a public drain which is dangerous, a Sewage Treatment Plant is essential for segregation and bio-degradation. He also stated that there will be no burden on the state exchequer and this project is in the process of implementation in the Medical and Health Department. Ex. Gandhi Hospital and Osmania Medical College and approved by the pollution control board. The then Director, IMS requested to issue permission to set up Sewage Treatment Plants at ESI Hospitals in the state. On that, the Government accorded permission to the Director of Insurance Medical Services, A.P., Hyderabad to set up Sewage Treatment Plants (designing, construction and installation) at ESI Hospitals in the state, subject to not seeking any funds from the State Government vide G.O.Rt.No.683, Dt. 24.07.2013 of LET&F (IMS) Department. The above G.O. was issued with the concurrence of the Finance (Expr.LET&F) Department vide their U.O.No.18471/102/EXPR.LET&F/13, Dt..16.07.2013).

Based on this, the then Director IMS, AP, Hyderabad Dr K.Malleswara Rao, (Now Retired) issued separate work orders to M/s. Jalam Environment Pvt. Ltd., Hyderabad for Design, construction and installation of sewage treatment plants at ESI hospitals **Vijayawada** and **Rajahmundry** Vide Rc. No.5880/CDS1/2013-1, Date.18.10.2013 with terms and conditions and the total value of work is Rs.1,85,60,000/- each.

Subsequently, on **13.02.2014, the LET & F Department issued G.O.Rt.No.340** and accorded permission to the Director, IMS, AP, Hyderabad to set up Sewerage Treatment Plants **at ESI Diagnostic Centers, Nizamabad, Jeedimetla and Adoni instead of ESI Hospitals Visakhapatnam, Tirupathi and Sanath Nagar at Hyderabad** in the state. Accordingly, the Director, IMS, AP, Hyderabad had issued a work order vide Rc. No.5880/CDS1/2013, Dt.18.02.2014 to M/s. Jalam Environment Pvt. Ltd., Hyderabad for installation of Sewerage Treatment Plant at ESI-Diagnostic Centre, Adoni.

After completion of set up and installation of the STPs, the then Director, IMS, AP, Hyderabad (United AP) issued Annual Maintenance Contract Order to M/s. Jalam Environment Pvt., Ltd., for undertaking the work of operation and maintenance of STPs at ESI hospitals Vijayawada, Rajahmundry and ESI Diagnostic centre Adoni for a period of one year, w.e.f. 1-6-2014 to 31.05.2015, vide Rc. No.5880/CDS1/2013-AMC, dated 30.05.2014. The terms and conditions of the contract are mentioned as 1) The contract will be extended for a further one year, based on the satisfactory performance of the firm, 2) The firm should provide 2 to 3 engineers to work, round the clock, at each plant, on a shift basis, 3) Repairs and maintenance of all the equipment, Chemicals and materials required are to be provided by the firm and 4) Cost of

operation and maintenance charge at each centre is Rs.2,30,000/- per month i.e., Rs.6,90,000/- for all three Centers will be paid.

As per the AP State Government and ESIC purchase procedure guidelines, when the value of goods and services is more than one lakh rupees, the procurement shall be made through e-procurement vide **G.O.Ms.No.258** of Finance (TFR) Dept., Dt.20.09.2013, **G.O.Ms.No.2,** of Finance (Works & Projects-F7) Department, Dt.03.02.14 and **G.O.Ms.No.40** of Finance (TFR) Dept., Dt.14.02.2014.

As per the ESIC purchase procedure guidelines (In column No. 3.2 about sanctioning authority):- All Equipments, shall be purchased with the prior sanction of the competent authority as per the delegation of power circulated. For Equipment with unit cost up to Rs. 15 Lakhs, the sanctioning authority will be Director/Medical Superintendent as the case may be. Equipment costing more than Rs. 15 Lakhs sanction will be obtained from ESIC Corporate Office.

CHARGE:

That the Government Servant Dr Kondikari Ranga Swamy, S/o Ranganna, In-charge Civil Surgeon Specialist, ESI Diagnostic Centre, Adoni, Kurnool District had forwarded the Quarterly Service Reports of M/s. Jalam Environment Pvt. Ltd. for the STP at ESI Diagnostic Centre, Adoni with his remarks as "Plant worked satisfactorily for the above period" for the four quarters from 01.12.2017 to 30.11.2018 to the Director, IMS, AP for payment of full maintenance charges, causing loss to the government exchequer, though the STP at ESI Diagnostic Centre, Adoni was not serving the purpose since October 2017 due to shifting of ESI Diagnostic Centre, Adoni to ESI Dispensary, West Adoni on 11.10.2017.

During the enquiry, it is revealed that though the ESI, Diagnostic Centre, Adoni shifted to the premises of the ESI Dispensary, West Adoni, the Sewage Treatment Plant is being continued at the same old place and Power supply is being provided to the Plant as per the Terms and conditions of the AMC and paid the Maintenance charges up to 30.11.2018.

The Sewerage Treatment Plant at ESI Diagnostic Centre, Adoni Which was installed by M/s Jalam Environmental Pvt., Ltd., during the year 2014 was physically inspected along with Analyst Gr-1 Pollution Control Board, Kurnool and observed that the STP was not in working condition and it was being maintained by M/s Jalam Environment Pvt., Ltd., regularly for the purpose of good condition of machinery only. The Analyst Gr-I, AP Pollution Control Board, Kurnool inspected the plant and he opined that the STP was not in operation for a long time, only the general maintenance of the machinery and plant operators were maintaining Bio-reactors membrane monthly once by using tanker water and the premises of the plant was found with full bushes and not in an orderly manner. It is evident that the performance of the STP was not

satisfactory. Further, he opined that an amount of Rs.25,000/- (for operators, tank water and other chemicals etc.,) is sufficient for the above-said maintenance of the STP per month.

Dr kondikari Ranga Swamy, S/o Ranganna forwarded the Quarterly Service Reports of M/s. Jalam Environment Pvt. Ltd. for the STP at ESI Diagnostic Centre, Adoni with his remarks as "Plant worked satisfactorily for the above period" for the four quarters from 01.12.2017 to 30.11.2018 to the Director, IMS, AP for full payment of maintenance charges, though the STP at ESI Diagnostic Centre, Adoni was not functioning since October 2017 due to shifting of ESI Diagnostic Centre, Adoni to ESI Dispensary, West Adoni on 11.10.2017.

Based on his satisfactory remarks on the Quarterly Service Reports, full payment of Rs. 25,64,730/- (3 X Rs. 8,54,910/- including tax) for three quarters i.e. 01.12.2017 to 28.02.2018, 01.06.2018 to 31.08.2018 and 01.09.2018 to 30.11.2018, was paid to the M/s. Jalam Environment Pvt. Ltd. as per existing AMC by Dr G. Vijay Kumar, the then Director, IMS, AP and thereby caused a loss of Rs.23,39,730/- (excluding general maintenance charges of Rs.2,25,000/- from Rs.25,64,730/-) to the Government exchequer.

During the enquiry examined the following witnesses and they revealed the facts as follows:

1) Dr S.B.R.Kumar Lagahimsetti, I.R.S., S/o. L.Mallikharjuna Rao, 40 years, Director of Insurance Medical Services, AP, Vijayawada stated that Dr K. Rangaswami, I/C of ESI, Diagnostic Centre, Adoni had forwarded the satisfactory certificates to the directorate, IMS, AP, Vijayawada up to 31.05.2020 which were submitted by the M/s. Jalam Environment Pvt., Ltd., though the plant is not used to treat the biomedical liquid wastage at old premises since 31.10.2017.
2) Sri Namburi Subba Rao, S/o Veera Bhadraiah, 54 years, Office Superintendent (Planning & RF Sections), O/o DIMS, Vijayawada stated that Dr K. Rangaswami. I/C of ESI, Diagnostic Centre, Adoni had forwarded the satisfactory certificates to the directorate, IMS, AP, Vijayawada up to 31.05.2020 which were submitted by the M/s. Jalam Environment Pvt., Ltd., though the plant is not used to treat the biomedical liquid wastage at old premises since 31.10.2017.
3) Smt. Battula Anjani Devi, W/o Venkata Rao Dara, 58 years, Superintendent, Account Section, O/o DIMS, Vijayawada stated that Dr K. Rangaswami, I/C of ESI, Diagnostic Centre, Adoni had forwarded the satisfactory certificates to the directorate, IMS, AP, Vijayawada up to 31.05.2020 which were submitted by the M/s. Jalam Environment Pvt., Ltd., though the plant is not used to treat the biomedical liquid wastage at old premises since 31.10.2017.

4) Sri Yerramala Ajith Babu, S/o Y.SarveswaraRao (Late), Age 27 Years, Junior Assistant (CDS Section, 0/o. DIMS, AP, Vijayawada) stated that Dr K. Rangaswami, I/C of ESI, Diagnostic Centre, Adoni had forwarded the satisfactory certificates to the directorate, IMS, AP, Vijayawada up to 31.05.2020 which were submitted by the M/s. Jalam Environment Pvt., Ltd., though the plant is not used to treat the biomedical liquid wastage at old premises since 31.10.2017.

5) Sri Annavarapu Krupakanth, S/o. A.Ramesh Babu, Age 31 Years, Senior Assistant (Accounts Section, 0/o. DIMS, AP, Vijayawada) Vijayawada stated that the diagnostic centre, Adoni was shifted to ESI Dispensary, West Adoni on 11.10.2017 vide Rc. No.5829/BLR/2015, dt.08.08.2017 as it was in dilapidated condition. But, the plant was not shifted to the new premises and continued in the premises of the old building.

6) Sri Gudapati Murali Krishna, S/o.Veeranjaneyulu, 67 years, Director of M/s. Jalam Environment Pvt., Ltd., AC Guards, Hyderabad stated that he is a Managing Director of M/s. Jalam Environment Private Limited, Hyderabad and Dr K. Rangaswami, I/C of ESI, Diagnostic Centre, Adoni had forwarded the satisfactory certificates to the directorate, IMS, AP, Vijayawada up to 31.05.2020 which were submitted by the M/s. Jalam Environment Pvt., Ltd., though the plant is shifted into new premises at ESI Dispensary West Adoni from ESI, Diagnostic Centre, Adoni since 31.10.2017.

Thus, the Government Servant Dr Kondikari Ranga Swamy, S/o Ranganna the then In-charge Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District by his above-mentioned acts has exhibited a lack of integrity, devotion to duty and conduct unbecoming of Government Servant and thereby contravened Rule No. 3(1) (2) of APCS (Conduct) Rules 1964.

Thus, the Government Servant, therefore, rendered himself liable for Departmental Action for Major Penalty.

G.ANANTHA RAMU
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE – III

LIST OF WITNESSES IN SUPPORT OF CHARGES PROPOSED TO BE SUSTAINED

1.	Dr.S.B.R.Kumar Lagahimsetti, I.R.S., S/o. L.Mallikharjuna Rao, 40 years, Director of Insurance Medical Services, AP, Vijayawada, Enikepadu, Vijayawada – 520008, R/o. Guntur.	To speak to the facts about the establishment of the Sewage Treatment Plants at ESI Diagnostic Centre, Adoni, Kurnool District and its maintenance & payment particulars and irregularities which were done by the In-charge Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District etc., facts.
2.	Sri Namburi Subba Rao, S/o Veera Bhadraiah, 54 years, Office Superintendent (Planning & RF Sections), O/o DIMS, Vijayawada. R/o SF-11, HRT Sai Nirman, Bhavanipuram, Vijayawada.	To speak to the facts about the payment particulars towards Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District, etc., facts.
3.	Smt. Battula Anjani Devi, W/o Venkata Rao Dara, 58 years, Superintendent, Account Section, O/o DIMS, Vijayawada, R/o Yenikepadu, 100 Ft road, Kamineni Hospital Road, Vijayawada.	To speak to the facts about the establishment & payment particulars towards Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District, etc., facts.
4.	Sri Yerramala Ajith Babu, S/o. Y.SarveswaraRao (Late), Age 27 Years, Junior Assistant (CDS Section, O/o.DIMS, AP, Vijayawada) Resident of D.No.53-1-185, Arul Nagar, Vijayawada.	To speak to the facts about the establishment, maintenance & payment particulars towards Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District, etc., facts.
5.	Sri Annavarapu Krupakanth, S/o A.Ramesh Babu, Age 31 Years, Senior Assistant (Accounts Section, O/o. DIMS, AP, Vijayawada) Resident of 19-13/6-39A, Old Raja Rajeswari Pet, Vijayawada.	To speak to the facts about the establishment & payment particulars towards Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District, etc., facts.
6.	Sri S.Shaikshavalli, S/o S.Mastanvali, 27 years, Plant Operator, M/s. Jalam Environment Pvt., Ltd., STP at Diagnostic Centre, Adoni, R/o. H.No.21/1/43, Mahatma Gandhi Nagar, Behind ESI Hospital, Adoni, Kurnool District.	To speak to the facts of the Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District maintenance of the STP etc., facts.
7.	Sri Jawalkar Ganesh Kumar, S/o. Jagannadha Rao (late), 36yrs, Analyst Grade-I, A.P. Pollution Control Board, Kurnool, R/o. 79-143, C/o. K.Jayaram Reddy, Krishna Nagar, Kurnool.	To speak to the facts of the Sewage Treatment Plants at ESI Diagnostic centre Adoni, Kurnool District, Maintenance of the STP, Adoni and expenditure towards general

		maintenance of the STP etc., facts.
8.	Sri Gudapati Murali Krishna, S/o. Veeranajaneyulu, 67 years, Director of M/s. Jalam Environment Pvt., Ltd., AC Guards, Hyderabad. R/o. Plot No.153, Santanagara, Kukatpalli, Hyderabad.	To speak to the facts of the establishment of the Sewage Treatment Plants at ESI Diagnostic Centre, Adoni etc., facts.
10.	Sri A.Suresh Babu, Addl. Supdt. of Police, CIU, ACB, AP, Vijayawada.	To speak to the facts of the Regular Enquiry on the allegation of the establishment of the Sewage Treatment Plants at ESI Diagnostic Centre, Adoni, Kurnool District and its maintenance & payment particulars and irregularities which were done by the In-charge Civil Surgeon, ESI Diagnostic Centre, Adoni, Kurnool District etc., facts.

G.ANANTHA RAMU
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE – IV

LIST OF DOCUMENTS IN SUPPORT OF CHARGES PROPOSED TO BE SUSTAINED

Sl.No.	Document
1.	Copy of the **G.O.Rt.No.683,** Dt.24.07.2013 of LET&F (IMS) Dept., of Govt. of AP for issuing permission to the Director, IMS, AP, Hyderabad (Combined state) for installation of Sewage Treatment Plants at ESI Hospital in the state of AP.
2.	Copy of **G.O.Rt.No.340,** Dt.13.02.2014 of LET&F (IMS) Dept., Andhra Pradesh to accord permission to the Director, IMS, AP, Hyderabad (Combined state) to set up Sewage Treatment Plants at ESI Diagnostic Centres Nizamabad, Jeedimetla and Adoni instead of ESI Hospitals Visakhapatnam, Tirupati and Sanathnagar in the state of AP.
3.	Copy of the **G.O.Ms.No.258,** Dated 20.09.2013 of Finance (TFR) Department, Government of AP, copy of G.O.Ms.No.2, dated.03.02.2014 of Finance (Works & Projects –F7) Department, Government of AP and copy of G.O.Ms.No.40, dated.14.02.2014 of Finance (TFR) Department, Government of AP to follow the procurement process of e-Procurement when the value of goods and services is more than Rs.1 Lakh.
4.	Copy of the total **payments particulars** made to M/s. Jalam Environment Pvt., Ltd., for installation and maintenance of STPs at ESI Hospitals Vijayawada, Rajahmundry, Tirupati and ESI Diagnostic Centre, Adoni by the Director, IMS, AP, Vijayawada from 02.06.2014 to 30.11.2018.
5.	Reply of the Registrar of Companies, Hyderabad, Telangana, 2nd floor, Corporate Bhavan, Thattiannaram, GSI Post, Bandalguda, Nagole, Hyderabad, 500068 regarding Certificate of incorporation, list of directors, fees payments (SRN No.B72961667, MOA, AOA and from No. MGT-7, dated.31.03.2020 of M/s.Jalam Environment Pvt. Ltd., (CIN:-U90001TG2013PTC087206).
6.	Certified copies of **Quarterly Service Reports** of M/s. Jalam Environment Pvt., Ltd., Hyderabad for the STP at ESI Diagnostic Centre, Adoni and forwarded with satisfactory remarks of the Civil Surgeon Specialist of ESI Diagnostic Centre for the period from 01.06.2014 to 31.05.2019.
7.	Statement of Dr.S.B.R.Kumar Lagahimsetti, I.R.S., S/o. L.Mallikharjuna Rao, 40 years, Director of Insurance Medical Service, AP, Vijayawada, Enikepadu, Vijayawada- 520008, R/o. Guntur.
8.	Statement of Sri Namburi Subba Rao, S/o Veera Bhadraiah, 54 years, Office Superintendent (Planning & RF Sections), O/o DIMS, Vijayawada. R/o SF-11, HRT Sai Nirman, Bhavanipuram, Vijayawada.
9.	Statement of Smt. Battula Anjani Devi, W/O Venkata Rao Dara, 58 years, Superintendent, Account Section, O/o DIMS, Vijayawada, R/o Yenikepadu, 100 Ft road, Kamineni Hospital Road, Vijayawada.
10.	Statement of Sri Yerramala Ajith Babu, S/o. Y.Sarveswara Rao(Late), Age 27 years, Junior Assistant (CDS Section, O/o. DIMS, AP, Vijayawada) Resident of D.NO.53-1-185, Arul Nagar, Vijayawada.
11.	Statement of Sri Annavarapu Krupakanth, S/o. A.Ramesh Babu, Age 31 years, Senior Assistant (Account Section, O/o. DIMS, AP, Vijayawada) Resident of 19-13/6-39A, Old Raja Rajeswari Pet, Vijayawada.
12.	Statement of Sri S.Shaikshavalli, S/o S.Mastanvali, 27 years, Plant Operator,

	M/s. Jalam Environment Pvt., Ltd., STP at Diagnostic Centre, Adoni, R/o. H.No.21/1/43, Mahatma Gandhi Nagar, Behind ESI Hospital, Adoni, Kurnool District.
13.	Statement of Sri Jawalkar Ganesh Kumar, S/o. Jagannadha Rao (late), 36yrs, Analyst Grade-I, A.P. Pollution Control Board, Kurnool, R/o. 79-143, C/o. K.Jayaram Reddy, Krishna Nagar, Kurnool.
14.	Statement of Dr Gadi Vijaya Kumar S/o Veeranna, 60yrs., retired Special Grade Civil Surgeon, ESI Hospital, Rajahmundry, H.O.No.18-13-16, Kotha Veedhi, Krishna Nagar, Rajahmundry.
15.	Statement of Sri Gudapati Murali Krishna, S/o. Veeranajaneyulu, 67 years, Director of M/s.Jalam Environment Pvt. Ltd., AC Guards, Hyderabad. R/o. Plot No.153, Santanagara, Kukatpalli, Hyderabad.
16.	Any other document to be filed at the time of enquiry.

G.ANANTHA RAMU
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER